

CRYSTAL 4.3

Specification

General description	Bookshelf Speaker
Enclosure type	Bass Reflex
Transducer complement	3-way
Bass driver	165mm Polypropylene Cone
Midrange driver	125mm Woven Kevlar Cone
Treble driver	25mm Soft Dome
Sensitivity (2.83V @ 1m)	88dB
Recommended amplifier power	25-120W
Peak SPL	96dB
Nominal impedance	8Ω Compatible
Minimum impedance	3.7Ω
Frequency response (+/-3dB)	50Hz - 20kHz
Bass extension (-6dB)	45Hz
Crossover frequency	500Hz & 2kHz
Cabinet Volume (in litres)	7.5L&21L
Dimensions (mm)	
Height (on plinth)	(900+22)mm
Width	205mm
Depth (with grille&terminal)	(245+10)mm
Carton size	1020 x 360 x 315mm
Net weight	14.5kg each
Finish	Black / Walnut / White

CRYSTAL 4.1

Specification

General description	Bookshelf Speaker
Enclosure type	Bass Reflex
Transducer complement	2-way
Bass driver	100mm Woven Kevlar Cone
Treble driver	25mm Soft Dome
Sensitivity (2.83V @ 1m)	86dB
Recommended amplifier power	20-60W
Peak SPL	95dB
Nominal impedance	8Ω Compatible
Minimum impedance	4.3Ω
Frequency response (+/-3dB)	75Hz - 20kHz
Bass extension (-6dB)	70Hz
Crossover frequency	3.4kHz
Cabinet Volume (in litres)	2.3L
Dimensions (mm)	
Height	194mm
Width	141mm
Depth (with grille&terminal)	(147+10)mm
Carton size	382 x 225 x 280mm
Net weight	2kg each
Finish	Black / Walnut / White

CRYSTAL 4.C

Specification

General description	Centre Channel Speaker
Enclosure type	Bass Reflex
Transducer complement	2-way
Bass driver	125mm Woven Kevlar Cone x 2
Treble driver	25mm Soft Dome
AV shield	Yes
Sensitivity (2.83V @ 1m)	89dB
Recommended amplifier power	25-100W
Peak SPL	95dB
Nominal impedance	8Ω Compatible
Minimum impedance	4.2Ω
Frequency response (+/-3dB)	70Hz - 20kHz
Bass extension (-6dB)	65Hz
Crossover frequency	2.4kHz
Cabinet Volume (in litres)	8.2L
Dimensions (mm)	
Height	172mm
Width	415mm
Depth (with grille & terminal)	(192+10)mm
Carton size	495 x 280 x 260mm
Net weight	6.8kg each
Finish	Black / Walnut / White

