



A sound that prevades

Cinebar Lux Surround "5.0-Set"

The surround setting of the Cinebar Lux ensures for a filling sound without compromise. The soundbar is also discreet and easy to setup compared to home cinema systems.

Highlights:

- High-class, slim surround soundbar for great quality TV, music, and gaming playback
- Control the surround setting wirelessly with the surround sound speakers Effekt
- Four passive bass membranes ensure a balanced, fulfilling sound that's smooth to the ear
- Twelve high-performance drivers and new power amplifiers promise high sound levels in rooms up to 30m²
- Dynamore® Ultra and Dynamore® 3D with upward-firing and side-firing speaker for enveloping, cinematic 3D sound, extra centre speaker for best possible speech intelligibility

Included components

- 1 x Soundbar Cinebar Lux Single
- 1 x power cable
- 1 x remote control CB Lux RC with battery
- 2 x Effekt satellite speakers (pcs)

Specifications

Soundbar Cinebar Lux Single:

| | | |
|--------------------|---|---|
| Speaker | Passive membrane (number per enclosure) | 4 |
| | Passive membrane (width) | 48.00 mm |
| | Passive membrane (length) | 105.00 mm |
| | Upfiring speaker | Yes |
| | Upfiring speaker (diameter) | 50.00 mm |
| | Upfiring speaker (material) | Cellulose |
| | Upfiring speaker | 2 number |
| | Acoustic principle | 3-Way-System |
| | Continuous power handling (IEC - Long Term) | 150 Watt |
| | Maximum sound pressure level | 100 dB/1m |
| | Frequency range from/to | 45 - 20.000 Hz |
| | Tweeter (number per enclosure) | 2 |
| | Tweeter (diameter) | 25.00 mm |
| | Tweeter (material) | Facric |
| | Broadband loudspeakers (number per enclosure) | 8 |
| | Broadband loudspeakers (diameter) | 50.00 mm |
| | Broadband loudspeakers (material) | Cellulose |
| | Acoustic principle | Multi-Channel Soundbar with Dynamore 3D |
| | Enclosure type | Closed |
| | Enclosure material | Plastic |
| | Enclosure surface | matt, lacquered |
| | Net internal volume | 4 Litres |
| | Keyhole plate mounted | Yes |
| Connections | Audio inputs- HDMI | 1 |
| | HDMI Version | HDMI 2.0 with HDCP 2.2 |
| | Bluetooth | Yes |
| | Wifi | Yes |
| | LAN | Yes |
| | Digital inputs optical | 1 |
| | Stereo jack 3.5mm - in | 1 |

| | | | |
|--------------------|------------------------|--|----------|
| | Bass driver output | 1 | |
| | USB 2.0 | 1 | |
| Playback | Dolby Digital | Yes | |
| | DTS | Yes | |
| | MP3 | Yes | |
| | WAV | Yes | |
| | FLAC | Yes | |
| | OGG | Yes | |
| Radio | Internet radio | Yes | |
| | Sleeptimer | Yes | |
| Electronics | WLAN Standards | 802.11b/g/n/ac | |
| | 10/100-Mbit/s Ethernet | Yes | |
| | Amplifier technology | Classe-D | |
| | Amplifier channels | 9 | |
| | Multi-room | Yes | |
| | Power supply voltage | 230 volts | |
| | Standby-Function | Yes | |
| | Remote control | Infrared | |
| | Dimensions | Depth | 13.50 cm |
| | | Height | 7.50 cm |
| Weight | | 4.40 kg | |
| Miscellaneous | | Width (front) > 107.5cm Width (back) > 114cm | |

Effekt satellite speakers (pcs):

| | | | |
|--|--|---|---------|
| Speaker | Acoustic principle | 2-Way-System | |
| | Enclosure type | Closed | |
| | Frequency range from/to | 120 - 20000 Hz | |
| | Tweeter (number per enclosure) | 1 | |
| | Tweeter (diameter) | 19.00 mm | |
| | Midrange driver (number per enclosure) | 1 | |
| | Midrange driver (diameter) | 76.00 mm | |
| | Enclosure material | Plastic | |
| | Enclosure surface | Housing: silk matte / grille: glossy | |
| | Wall mounting brackets | Yes | |
| | Keyhole plate mounted | Yes | |
| | Miscellaneous | Compatible speaker stands: Teufel AC 1001 | |
| | Electronics | Amplifier technology | Class-D |
| | | Amplifier channels | 2 |
| Output performance amplifier: Satellites | | 35 W | |

| | | |
|-------------------|--|--------------------------|
| | Standby-Function | Yes |
| | Standby-Power consumption | 0.50 watt |
| | Storage for settings when disconnected | Yes |
| | Automatic on/off | Yes |
| | Miscellaneous | 4-metre long power cable |
| Dimensions | Depth | 11.20 cm |
| | Width | 11.20 cm |
| | Height | 15.30 cm |
| | Weight | 0.96 kg |