EB-S41

DATASHEET





For business or pleasure, this high-quality and easy-to-use SVGA, 3,300-lumen projector works equally well at home or in the office.

Don't let your need for a business projector hold you back from enjoying blockbusters on the big screen at home. This versatile SVGA projector can do both. Even when there's ambient light, its 3,300 lumens and 3LCD technology are capable of delivering a bright and clear picture. And its incredibly long lamp life means it's great value for money.

Bigger is better

Whether you're watching blockbusters or delivering a presentation, this projector can achieve an impressive 350-inch display. It's great quality too with 3LCD technology that makes the display up to three times brighter than competitor products². In addition to its bright and vivid colours, the 15,000:1 contrast ratio produces defined shadows and deep blacks. From family and friends to business colleagues and clients, it's sure to get everyone's attention.

High-quality, bright images

Even in bright rooms, this powerful yet affordable SVGA projector delivers exceptionally bright yet colourful images with clear details. It's all thanks to 3LCD technology, which produces an equally high White and Colour Light Output of 3,300 lumens.

Long-lasting solution

Looking for a long-term, hassle-free and affordable solution for your projection needs? With this model's long-lasting lamp light source, you could watch a film every day for 15 years¹.

Stress-free set up

Here's a projector that's designed with portability and quick set up in mind. The carry case makes it easy to move from room to room, and you can quickly position the image with keystone correction and access content simply with the HDMI inputs. Thanks to the optional ELPAP10 adapter, it offers Wi-Fi connectivity, allowing you to share content from a smart device using the iProjection app.

KEY FEATURES

- Create the big screen experience From box sets to business presentations, capture everyone's attention
- Bright even with ambient light Equally high White and Colour Light Output of 3,300 lumens
- Affordable, high-tech equipment Enjoy this SVGA projector
- Long-lasting solution Watch a film every day for 15 years¹
- Portable and quick to set up Transport with a carry case and keystone slider for easy alignment





PRODUCT SPECIFICATIONS

LGD Panel 0,55 inch with D7 IMAGE Colour Light Output 3.300 lumen - 2.050 lumen (economy) in accordance with IDMS15.4 White Light Output 3.300 lumen - 2.050 lumen (economy) in accordance with ISO 21118:2012 Resolution SVGA, 800 x 600, 4:3 Contrast Ratio 15.000 : 1 Lamp UHE, 210 W, 6.000 h durability, 10.000 h durability (economy mode) Keystone Correction Auto vertical: ± 30 *, Manual horizontal ± 30 * Colour Reproduction Upto 1.07 billion colours Aspect Ratio 4:3 OPTICAL Projection Ratio Projection Ratio 1,45 - 1,96:1 Zoom Digital, Factor: 1.35 Image Size 30 inches - 350 inches Projection Distance Wide/Tel+1,77 m - 2.4 m (60 inch screen) Projection Distance Wide/Tel+1,77 m - 2.4 m (60 inch screen) Projection Distance Wide/Tel+1,77 m - 2.4 m (50 inch screen) Projection Distance Wide/Tel+1,77 m - 2.4 m (50 inch screen) Projection Distance Wide/Tel+1,77 m - 2.4 m (50 inch screen) Projection App A-Hoc / Infrastructure CONNECTVITY USB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN Interfaces Escurity Kensington lock, Security ca	TECHNOLOGY	
MAGE Colour Light Output 3.300 lumen - 2.050 lumen (economy) In accordance with IDM\$15.4 White Light Output 3.300 lumen - 2.050 lumen (economy) In accordance with ISO 21118:2012 Resolution SVGA, 800 x 600, 4:3 Contrast Ratio 15.000 :1 Lamp UHE, 210 W, 6.000 h durability, 10.000 h durability (economy mode) Keystone Correction Auto vertical: ± 30 ° Colour Reproduction Upto 1.07 billion colours Aspect Ratio 4:3 OPTICAL Projection Istance wide/Time 1.77 m - 2,4 m (60 inch screen) Projection Lons F Number 1,44 Focal 8:1 CONNECTIVITY USB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.115/g/m (optional) Epson iProjection App Ad-Hoc / Infrastructure ADVANCED FEATURES Socurity Socurity Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 3D No Features AV mute side, Automatic keystone correction, sRGB GENERAL Energy Use Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB Genergy Use 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as	Projection System	3LCD Technology, RGB liquid crystal shutter
Colour Light Output3.300 lumen - 2.050 lumen (economy) In accordance with ISD 21118:2012White Light Output3.300 lumen - 2.050 lumen (economy) In accordance with ISD 21118:2012ResolutionVGA, 800 x 600, 4:3Contrast Ratio15.000 : 1LampUHE, 210 W, 6.000 h durability, 10.000 h durability (economy mode)Keystone CorrectionAuto vertical: ± 30 °, Manual horizontal ± 30 °Colour ReproductionUpto 1.07 bilion coloursAspect Ratio1,45 - 1,96:1ZoomDigital, Factor: 1,35Image Size30 inches - 350 inchesProjection Distance WidderTel 1,77 m - 2,4 m (60 inch screen)Projection Lens F Number1,44Focal Distance1,57 mmFocusManualOffset8 : 1CONNECTIVITYUSB Display FunctionVIEB Display Function2 in 1 : Image / MouseInterfacesUSB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11b/g/n (optional)Epson iProjection AppA/ mute silde, Automatic keystone correction, Built-In speaker, Horizontal and vertical keystone correction, Long Iamp Iife, Quick ComerVideo Colour ModesBiackboard, Cinema, Dynamic, Presentation, sRGBGENERAL Energy Use282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS- A257 WProduct dimensions302 x 237 x 82 mm (Width x Depth x Height)Product weight2,5 kgNoise LevelNormai 37 dB (A) - Economy: 28 dB (A)LudspeakerWormai 37 dB (A) - Economy: 28 dB (A)Ludspeaker	LCD Panel	0,55 inch with D7
White Light Output 3.300 lumen - 2.050 lumen (economy) in accordance with ISO 21118:2012 Resolution SVGA, 800 x 600, 4:3 Contrast Ratio 15.000 : 1 Lamp UHE, 210 W, 6.000 h durability, 10.000 h durability (economy mode) Keystone Correction Auto vertical: : 30 °, Manual horizontal : 30 ° Colour Reproduction Upto 1.07 billion colours Aspect Ratio 4:3 OFTICAL Projection Ratio 1,45 - 1,96:1 Zoom Digital, Factor: 1,35 Image Size 30 inches - 350 inches Projection Lens F Number 1,44 Focal Manual Offset 8: 1 CONNECTIVITY USB Display Function 2 in 1: Image / Mouse USB Display Function 2 in 1: Image / Mouse Etes 802.110/201 (coptional) Etes 802.110/201 (coptional) Epson iProjection App Ad-Hoc / Infrastructure ADVANCED FEATURES Security Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 3D No Features Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL Energy Use 82 2W, 203 W (economy), 0.2 W (standby), On mode power consumption as defined in JBMS-184 2ST W Pro	IMAGE	
White Light Output 3.300 lumen - 2.050 lumen (economy) in accordance with ISO 21118:2012 Resolution SVGA, 800 x 600, 4:3 Contrast Ratio 15.000 : 1 Lamp UHE, 210 W, 6.000 h durability, 10.000 h durability (economy mode) Keystone Correction Auto vertical: : 30 °, Manual horizontal : 30 ° Colour Reproduction Upto 1.07 billion colours Aspect Ratio 4:3 OFTICAL Projection Ratio 1,45 - 1,96:1 Zoom Digital, Factor: 1,35 Image Size 30 inches - 350 inches Projection Lens F Number 1,44 Focal Manual Offset 8: 1 CONNECTIVITY USB Display Function 2 in 1: Image / Mouse USB Display Function 2 in 1: Image / Mouse Etes 802.110/201 (coptional) Etes 802.110/201 (coptional) Epson iProjection App Ad-Hoc / Infrastructure ADVANCED FEATURES Security Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 3D No Features Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL Energy Use 82 2W, 203 W (economy), 0.2 W (standby), On mode power consumption as defined in JBMS-184 2ST W Pro		3.300 lumen- 2.050 lumen (economy) In accordance with IDMS15.4
Resolution SVGA, 800 x 600, 4:3 Contrast Ratio 15.000 : 1 Lamp UHE, 210 W, 6.000 h durability, 10.000 h durability (economy mode) Keystone Correction Auto vertical: ± 30 °, Manual horizontal ± 30 ° Colour Reproduction Upto 1.07 billion colours Aspect Ratio 4:3 OPTICAL Projection Ratio Projection Distance Wide/Tele 1,77 m - 2,4 m (60 inch screen) Projection Lons F Number 1.44 Focal Stance 16,7 m Focal Stance 16,7 m Focus Manual Offset 8 : 1 CONNECTIVITY USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN Interfaces USB Zort Laby (optional) 2 in 1: Image / Mouse Interfaces USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN INTERfaces Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection SD Spon No Features AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long Iamp life, Quick Corner Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL Security Freqy Use 262 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS-84 257 W Product dimen	• •	
Contrast Ratio15.00: 1LampUHE, 210 W, 6.000 h durability, 10.000 h durability (economy mode)Keystone CorrectionAuto vertical: ± 30 °, Manual horizontal ± 30 °Colour ReproductionUpto 1.07 billion coloursAspect Ratio4:3OPTICALProjection Ratio1.45 - 1.96:1ZoomDigital, Factor: 1.35Image Size30 inches - 350 inchesProjection Distance Wide/Tele 1.77 m - 2,4 m (60 inch screen)Projection Distance Wide/Tele 1.77 m - 2,4 m (60 inch screen)Projection Lens F Number1.44Focal Distance16,7 mmFocal Distance15,7 m - 2,4 m (50 inch screen)Projection Lens F Number1.44Focal Distance15,7 mmFocal DistanceVise 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802: 11b/g/n (optional)Epson iProjection AppAd-Hoc / InfrastructureADVANCED FEATURESSecurity cable hole, Wireless LAN unit lock, Password protection 3DBDNoFeaturesAV mute slide, Automatic keystone correction, Built-In speaker, Horizontal and vertical keystone correction, Long lamp life, Quick CorrerVideo Colour ModesBlackboard, Cinema, Dynamic, Presentation, SRGBGENERALSecurityEnergy Use282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS- 84 257 WProduct dimensions302 x 237 x 82 mm (Width x Depth x Height)Product weight2,5 kgNoireal: 37 dB (A) - Economy: 28 dB (A)Loudspeaker2 W<		
Lamp UHE, 210 W, 6.000 h durability, 10.000 h durability (economy mode) Keystone Correction Auto vertical: ± 30 °, Manual horizontal ± 30 ° Colour Reproduction Upto 1.07 billion colours Aspect Ratio 4:3 OPTICAL Projection Ratio Projection Ratio 1,45 - 1,96:1 Zoom Digital, Factor: 1,35 Image Size 30 inches - 350 inches Projection Distance Wide/Tlei 1,77 m - 2,4 m (60 inch screen) Projection Lens F Number 1,44 Focal Distance 16,7 mm Focal Distance 16,7 mm Focus Manual Offset 8 1 CONNECTIVITY USB Display Function 2 in 1: Image / Mouse Interfaces USB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11b/g/n (optional) Epson IProjection App Ad-Hor / Infrastructure ADVANCED FEATURES Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection SD No Security Security Ad-Hor / Infrastructure General Keystone correction, Long Iamp Iife, Oduck Correr Security Video Colour Modes Blacboard, Cinema, Dynamic, Presentation, sRGB General Security Security Product dimensions		
Keystone Correction Auto vertical: ± 30 °, Manual horizontal ± 30 ° Colour Reproduction Upto 1.07 billion colours Aspect Ratio 4:3 OPTICAL Projection Ratio Projection Ratio 1,45 - 1,96:1 Zoom Digital, Factor: 1,35 Image Size 30 inches - 350 inches Projection Distance Wide/Tel 1,77 m - 2,4 m (60 inch screen) Projection Lens F Number Projection Distance 16,7 mm Focus Manual Offset 8 : 1 CONNECTIVITY USB Display Function USB Display Function 2 in 1: Image / Mouse Interfaces USB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11b/g/n (optional) Epson iProjection App Ad-Hoc / Infrastructure ADVANCED FEATURES Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 3D No No Features AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long Iamp Iife, Quick Corner Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL 282 W, 203 W (economy), 0,2 W (standby), On mode powe		
Colour Reproduction Aspect RatioUpto 1.07 billion coloursAspect Ratio4:3OPTICALProjection Ratio1.45 - 1.96:1ZoomDigital, Factor: 1.35Image Size30 inches - 350 inchesProjection Distance Wide/Tele1.77 m - 2.4 m (60 inch screen)Projection Distance Wide/Tele1.74FocusManualOffset8: 1CONNECTIVITYUSB Display Function2 in 1: Image / MouseInterfacesUSB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11b/g/n (optional)Epson iProjection AppAd-Hoc / InfrastructureAd-VANCED FEATURESSecurityKensington lock, Security cable hole, Wireless LAN unit lock, Password protection BD3DNoFeaturesA/ Mute Side, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick CorrerVideo Colour ModesBlackboard, Cinema, Dynamic, Presentation, sRGBEnergy Use282 W, 203 W (economy), 0.2 W (standby), On mode power consumption as defined in JBMS- 84 257 WProduct dimensions302 x 237 x 82 mm (Width x Depth x Height)Product weight2,5 kgNoise LevelNormal: 37 dB (A) - Economy: 28 dB (A)Loudspeaker2 WColurWiteTHER2WColurWite	•	
Aspect Ratio 4:3 OFTICAL Frojection Ratio 1,45 - 1,96:1 Projection Ratio 1,45 - 1,96:1 Zoom 00 inches - 350 inches Projection Distance Wide/Tele 1,77 m - 2,4 m (60 inch screen) Projection Distance Wide/Tele 1,77 m - 2,4 m (60 inch screen) Projection Lens F Number 1,44 Focus Manual Offset 8 : 1 CONNECTIVITY USB Display Function USB Display Function 2 in 1: Image / Mouse Interfaces USB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11br/g/n (optional) Epson IProjection App Ad-Hoc / Infrastructure ADVANCED FEATURES Security cable hole, Wireless LAN unit lock, Password protection So No Features Ad W mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical Keystone correction, Long lamp life, Quick Corner Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS- 84 257 W Product weight 2,5 kg Noire Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W	•	
Projection Ratio1,45 - 1,96:1ZoomDigital, Factor: 1,35Image Size30 inches - 350 inchesProjection Distance Wide/Tele1,77 m - 2,4 m (60 inch screen)Projection Distance Wide/Tele1,77 m - 2,4 m (60 inch screen)Projection Lens F Number1,44Focal Distance16,7 mmFocusManualOffset8 : 1CONSCRIVITYUSB Display Function2 in 1: Image / MouseInterfacesUSB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11b/g/n (optional)Epson iProjection AppAd-Hoc / InfrastructureAd-Hoc / InfrastructureAd-VonCED FEATURESSecurityKensington lock, Security cable hole, Wireless LAN unit lock, Password protection3DNoFeaturesAd wut slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick CornerVideo Colour ModesBlackboard, Cinema, Dynamic, Presentation, sRGBGENERAL282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS- 84 257 WProduct wieght2,5 kgNorduct wieght2,5 kgNoise LevelNormai: 37 dB (A) - Economy: 28 dB (A)Loudspeaker2 WColourWhiteOTHER	Aspect Ratio	
Projection Ratio1,45 - 1,96:1ZoomDigital, Factor: 1,35Image Size30 inches - 350 inchesProjection Distance Wide/Tele1,77 m - 2,4 m (60 inch screen)Projection Distance Wide/Tele1,77 m - 2,4 m (60 inch screen)Projection Lens F Number1,44Focal Distance16,7 mmFocusManualOffset8 : 1CONSCRIVITYUSB Display Function2 in 1: Image / MouseInterfacesUSB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11b/g/n (optional)Epson iProjection AppAd-Hoc / InfrastructureAd-Hoc / InfrastructureAd-VonceD FEATURESSecurityKensington lock, Security cable hole, Wireless LAN unit lock, Password protection3DNoFeaturesAd Winte slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick CornerVideo Colour ModesBlackboard, Cinema, Dynamic, Presentation, sRGBGENERAL282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS- 84 257 WProduct weight2,5 kgNorduct imensions302 x 237 x 82 mm (Width x Depth x Height)Product weight2,5 kgNoise LevelNormal: 37 dB (A) - Economy: 28 dB (A)Loudspeaker2 WColourWhiteOtherWhite	OPTICAL	
ZoomDigital, Factor: 1,35Image Size30 inches - 350 inchesProjection Distance Wide/Tel: 1,77 m - 2,4 m (60 inch screen)Projection Lens F Number1,44Focal Distance16,7 mmFocusManualOffset8 : 1CONNECTIVITYUSB Display Function2 in 1: Image / MouseInterfacesUSB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11b/g/n (optional)Epson iProjection AppAd-Hoc / InfrastructureAdvoce / InfrastructureAdvoce / InfrastructureAdvoce Colour ModesFeaturesAV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick CornerVideo Colour Modes282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS- 84257 WProduct dimensions302 x 237 x 82 mm (Width x Depth x Height)Product weight2,5 kgNoise LevelNormal: 37 dB (A) - Economy: 28 dB (A)Loudspeaker2 WColourWite		1 45 - 1 06:1
mage Size 30 inches - 350 inches Projection Distance Wide/Tele 1,77 m - 2,4 m (60 inch screen) Projection Lens F Number 1,44 Focal Distance 16,7 mm Focus Manual Offset 8 : 1 CONNECTIVITY USB Display Function 2 in 1: Image / Mouse Interfaces USB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11b/g/n (optional) Epson iProjection App Ad-Hoc / Infrastructure ADVANCED FEATURES Security Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 3D No No Features AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Cince audio in JBMS-84 257 W Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL Set 237 x 82 mm (Width x Depth x Height) Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White		
Projection Distance Wide/Tele 1,77 m - 2,4 m (60 inch screen) Projection Lens F Number 1,44 Focal Distance 16,7 mm Focus Manual Offset 8 : 1 CONNECTIVITY USB Display Function 2 in 1: Image / Mouse Interfaces USB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11b/g/n (optional) Epson iProjection App Ad-Hoc / Infrastructure ADVANCED FEATURES Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 3D No No Features AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick Correr Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL 84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White TotHER 2 W		
Projection Lens F Number1,44Focal Distance16,7 mmFocusManualOffset8 : 1CONNECTIVITYUSB Display Function2 in 1: Image / MouseInterfacesUSB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11 bg/n (optional)Epson iProjection AppAd-Hoc / InfrastructureADVANCED FEATURESSecurityKensington lock, Security cable hole, Wireless LAN unit lock, Password protection NoSPNoFeaturesAV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick CornerVideo Colour ModesBlackboard, Cinema, Dynamic, Presentation, sRGBGENERALEnergy Use282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS- 84 257 WProduct dimensions302 x 237 x 82 mm (Width x Depth x Height)Product weight2,5 kgNoise LevelNormal: 37 dB (A) - Economy: 28 dB (A)Loudspeaker2 WColourWhiteOTHER		
Focal Distance16,7 mmFocusManualOffset8 : 1CONNECTIVITYUSB Display Function2 in 1: Image / MouseInterfacesUSB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11b/g/n (optional)Epson iProjection AppAd-Hoc / InfrastructureADVANCED FEATURESSecurity (Not the security cable hole, Wireless LAN unit lock, Password protection BD NoFeaturesAV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick CorrerVideo Colour ModesBlackboard, Cinema, Dynamic, Presentation, sRGBGENERALEnergy Use 84 257 WEnergy Use282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS- 84 257 WProduct dimensions302 x 237 x 82 mm (Width x Depth x Height)Product weight2,5 kgNormal: 37 dB (A) - Economy: 28 dB (A)Loudspeaker2 WColourWhiteOTHER		
Focus Manual Offset 8 : 1 CONNECTIVITY USB 2 in 1: Image / Mouse USB Display Function 2 in 1: Image / Mouse Interfaces USB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11b/g/n (optional) Epson iProjection App Ad-Hoc / Infrastructure ADVANCED FEATURES Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 3D Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 4D No Features Features AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick Corner Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL Energy Use 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS-84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight Product weight 2,5 kg Normai: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White Other White Colour White		
Offset 8 : 1 CONNECTIVITY USB Display Function 2 in 1: Image / Mouse Interfaces USB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11b/g/n (optional) Epson iProjection App Ad-Hoc / Infrastructure ADVANCED FEATURES Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 3D No Features AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick Corner Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL Energy Use 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS- 84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White		,
CONNECTIVITY USB Display Function 2 in 1: Image / Mouse Interfaces USB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11b/g/n (optional) Epson iProjection App AdVANCED FEATURES Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 3D No Features AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick Corner Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL Energy Use Energy Use 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS-84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White OTHER Vite		
USB Display Function 2 in 1: Image / Mouse Interfaces USB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11b/g/n (optional) Epson iProjection App Ad-Hoc / Infrastructure ADVANCED FEATURES Security Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 3D No No Features AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick Corner Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL Energy Use Energy Use 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS-84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normai: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White OTHER Vinte	Offset	8:1
Interfaces USB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN IEEE 802.11b/g/n (optional) Epson iProjection App Ad-Hoc / Infrastructure ADVANCED FEATURES Security Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 3D No No Features AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick Corner Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL Energy Use Energy Use 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS-84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normai: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White OTHER Vertice	CONNECTIVITY	
IEEE 802.11b/g/n (optional) Epson iProjection App Ad-Hoc / Infrastructure ADVANCED FEATURES Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 3D No Features AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick Corner Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL Energy Use Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White OTHER The sector	USB Display Function	2 in 1: Image / Mouse
Epson iProjection App Ad-Hoc / Infrastructure ADVANCED FEATURES Security Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 3D No Features AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick Corner Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL Energy Use Energy Use 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS-84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White OTHER Vertice	Interfaces	USB 2.0 Type A, USB 2.0 Type B, VGA in, HDMI in, Composite in, Cinch audio in, Wireless LAN
ADVANCED FEATURES Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 3D No Features AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick Corner Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL Energy Use 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS-84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noirse Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White		IEEE 802.11b/g/n (optional)
Security Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection 3D No Features AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick Corner Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS-84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White OTHER Vinte	Epson iProjection App	Ad-Hoc / Infrastructure
3D No Features AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick Corner Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS-84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White OTHER Ventor	ADVANCED FEATURES	
Features AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick Corner Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS-84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White	Security	Kensington lock, Security cable hole, Wireless LAN unit lock, Password protection
keystone correction, Long lamp life, Quick Corner Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS- 84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White	3D	No
Video Colour Modes Blackboard, Cinema, Dynamic, Presentation, sRGB GENERAL 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS- 84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White	Features	AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical
GENERAL Energy Use 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS- 84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White		keystone correction, Long lamp life, Quick Corner
Energy Use 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS- 84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White	Video Colour Modes	Blackboard, Cinema, Dynamic, Presentation, sRGB
Energy Use 282 W, 203 W (economy), 0,2 W (standby), On mode power consumption as defined in JBMS- 84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White	GENERAL	
84 257 W Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White		282 W, 203 W (economy), 0.2 W (standby), On mode power consumption as defined in JBMS-
Product dimensions 302 x 237 x 82 mm (Width x Depth x Height) Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White		
Product weight 2,5 kg Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White OTHER	Product dimensions	
Noise Level Normal: 37 dB (A) - Economy: 28 dB (A) Loudspeaker 2 W Colour White OTHER	Product weight	
Loudspeaker 2 W Colour White OTHER	Noise Level	
Colour White OTHER	Loudspeaker	
	Colour	
	OTHER	
		24 months Carry in. Lamp: 12 months or 1.000 h

EB-S41

WHAT'S IN THE BOX

- Main unit
- Power cable
- Quick Start Guide
- Remote control incl. batteries
- User manual (CD)
- Warranty card
- Carrying Case



OPTIONAL ACCESSORIES

- Wireless LAN Adapter ELPAP10
- V12H731P01
- ELPLP96
 V13H010L96
- Air Filter ELPAF32
- V13H134A32
- Soft Carry Case ELPKS69 EB-x05/x41/x42, EH-TW6 series V12H001K69
- Screen (80" Pantograph 16:10) ELPSC24 V12H002S24
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Mount (White) ELPMB23 V12H003B23

LOGISTICS INFORMATION

ѕки	V11H842040
EAN code	8715946639536
Dimensions Single Carton	327 x 384 x 154 mm
Carton Weight	3,84 Kg
Country of Origin	Philippines

EB-S41



TEKSEL d.o.o. Tržaška cesta 132 1000 Ljubljana Tel.: +386 1 620 77 25 Faks: +386 1 620 77 26 Splet: www.teksel.si E-pošta: info@teksel.si

. Blagovne znamke ali registrirane blagovne znamke so last podjetja Seiko Epson Corporation ali njihovih lastnikov. Informacije o izdelkih se smejo spremeniti brez vnaprejšnjega opozorila. Based on watching an average 1hr 45mins film every day and the lamp set in Eco mode.
 Colour brightness (Colour Light Output) in brightest mode, measured by a third-party lab in accordance with IDMS 15.4. Colour brightness will vary depending on usar

IDMS 15.4. Colour brightness will vary depending on usage conditions. Top-selling Epson 3LCD projectors versus top selling 1-chip DLP projectors based on PMA research sales data for Dec 2015 through Nov 2016.

