

## Image

Native Resolution

854 x 480

Maximum Resolution

1600 x 1200

Standard Mode Brightness

300 lm

Native Aspect Ratio

16:9

Compatible Aspect Ratio

4:3

Contrast Ratio

5,000:1

Throw Ratio

1.3 (2082.80 mm@2000 mm)

Vertical Keystone Correction

-20° /+20°

Horizontal Keystone Correction

-20° /+20°

Maximum Vertical Sync

60 Hz

Maximum Horizontal Sync

33.20 kHz

Minimum Vertical Sync

50 Hz

Colour Support

16.7 Million Colours (24-bit)

## Projection Lens

Lens Type

Manual Focus

Maximum Lens Aperture

**F/1.6**

Maximum Focal Length

**5.02 mm**

Minimum Diagonal Image Size

**736.60 mm**

Maximum Diagonal Image Size

**2.54 m (100")**

Minimum Projection Distance

**700 mm**

Maximum Projection Distance

**2.90 m**

Optical Zoom

**1x**

## Lamp

Lamp Type

**LED**

Number of Lamps

**1**

Normal Mode Lamp Life

**20000 Hour**

Economy Mode Lamp Life

30000 Hour

## Interfaces/Ports

HDMI

Yes

Number Of Audio Outputs

1

Audio Line Out

Yes

Total Number of HDMI Ports

1

## Technical Information

Projection System

DLP

Projection Method

Front

Video Compatibility

EDTV

HDTV

SDTV

Computer Compatibility

Windows PC

## Audio

Number of Speakers

1

Speaker Output Power

2 W

Speaker Output Mode

Mono

## Supported Multimedia Formats

Video Formats

H.264

MPEG-1

MPEG-2

MPEG-4

VC-1

XviD

Audio Formats

AAC

MP1

MP2

MP3

PCM

WAV

WMA

Image Formats

BMP

JPEG

## Battery Information

Battery Chemistry

Lithium Ion (Li-Ion)

Battery Capacity

9000 mAh

Battery Run Time

5 Hour

## Power Description

Power Supply

100 V AC-240 V AC

Input Voltage

120 V AC

230 V AC

Operating Power Consumption

30 W

Operating Power Consumption (Eco Mode)

6.50 W

## Physical Characteristics

Fan Noise

25 dB Approximate Economy Mode

29 dB Approximate Britemode

Temperature

5° C to 40° C

Humidity

80% Maximum Relative Humidity

Weight (Approximate)

350 g

## Miscellaneous

Package Contents

C202i DLP Projector  
AC to DC Power Adapter  
Protection Case  
Quick Start Guide  
Remote Control  
Tripod

Optional Accessories

Carrying Case (MC.JR011.005)  
Lamp (UC.JR011.001)  
WirelessCAST (MWA3) (MC.JKY11.007)  
WirelessHD-Kit (MC.JKY11.009)