

Loewe Connect ID

46 DR+/46




Set-up options

Wall Mount Slim/VESA Size 400, Chrome Silver
W 106.4 / H 67.4 / PD 6.6 / TD 9.1

Flat mounting

Wall Mount WM 62, Chrome Silver
W 106.4 / H 67.4 / PD 6.6 / TD 10.5
Convenient mounting, adjustable incline
(+2° or 0°)



Wall Mount Isoflex¹, Aluminium
W 106.4 / H 67.4 / PD 6.6 / TD 13.6 to 50.5

Flexible solution, folds flat, can be pulled out
straight, rotated and pivoted, adjustable incline (+2°
to 0°), intelligent cable management




Table Stand Connect ID Comfort, Aluminium
W 106.4 / H 70.1 / PD 6.6 / TD 25.0

Manually rotatable (+/-20°), adjustable incline
(+1° to -5°)



Table Stand Connect ID Dynamic, Aluminium
W 106.4 / H 68.2 / PD 6.6 / TD 24.1

Fixed position, -10° incline



Table Stand Connect ID Tableau³,

Porcelain or Walnut

Dimensions: on request

Manually rotatable (+/-20°), adjustable incline
(+1° to -5°), TV positioned to the left, optionally
available with free standing original Rosenthal vase



Loewe Rack²

Different versions, sizes and colours available to
match Loewe TV, sound system and equipment



TV Versions

	Model	Article no.	EAN Code
	46 DR+	51464 W 44	4011880136624
	46	51464 W 84	4011880136747
	46 DR+	51464 Y 44	4011880139922
	46	51464 Y 84	4011880140027
	46 DR+	51464 T 44	4011880136617
	46	51464 T 84	4011880136730
	46 DR+	51464 V 44	4011880139939
	46	51464 V 84	4011880140034
	46 DR+	51464 G 44	4011880139946
	46	51464 G 84	4011880140041
	46 DR+	51464 I 44	4011880139953
	46	51464 I 84	4011880140058
	46 DR+	51464 Z 44	4011880139960
	46	51464 Z 84	4011880140065
	46 DR+	51464 U 44	4011880136631
	46	51464 U 84	4011880136754
	46 DR+	51464 F 44	4011880139977
	46	51464 F 84	4011880140072
	46 DR+	51464 P 44	4011880139984
	46	51464 P 84	4011880140089
	46 DR+	51464 H 44	4011880139991
	46	51464 H 84	4011880140096
	46 DR+	51464 J 44	4011880140003
	46	51464 J 84	4011880140102

Contents: Assist 1 system remote control, aluminium, incl. batteries.

N.B. Set-up options are not included in ex-works delivery. Some products are
depicted with optional accessories.

Dimensions in cm: W = Width, H = Height, PD = Product Depth, TD = Total Depth, BP = Diameter/Dimensions of Base Plate.

¹ Only in conjunction with VESA Size 400 adapter. ² Only in conjunction with a corresponding adapter, to be ordered separately.

³ Porcelain Tableau expected to be available from autumn 2012.

LOEWE.

Loewe Connect ID

46 DR+/46

Set-up options

Floor Stand Connect ID, Aluminium
W 106.4 / H 111.2 / PD 6.6 / BP 53.0
Manually rotatable (360°), adjustable incline
(0° to -2.5°), concealed cable routing



Floor Stand Connect ID with Equipment board,
Aluminium, Glass, W 106.4 / H 111.2 / PD 6.6 / BP 53.0
Manually rotatable (360°), adjustable incline
(0° to -2.5°), positioning of 2 equipment products,
concealed cable routing



Floor Stand 8², Aluminium Silver
W 106.4 / H 112.1 / PD 6.6 / BP 56.0
Manually rotatable (+/-45°), adjustable incline
(+2° to -4°), concealed cable routing



Floor Stand Universal², Aluminium Silver
W 106.4 / H 110.9 / PD 6.6 / BP 50.0
Manually rotatable (+/-45°), adjustable incline
(+1° to -5°), concealed cable routing



Screen Lift Plus¹, Brushed Aluminium
W 106.4 / H 300.0 / PD 6.6 / TD 21.8
Manually rotatable (+/-90°), adjustable incline
(0° to -5°), concealed cable routing



Wall Stand Flex¹, Brushed Aluminium
W 106.4 / H 180.4 / PD 6.6 / TD 30.0
fixed mounting at any height, adjustable incline
(-2° to +2°), intelligent cable management



Technical features



Contents: Assist 1 system remote control, aluminium, incl. batteries.

N.B. Set-up options are not included in ex-works delivery. Some products are depicted with optional accessories.

Dimensions in cm: W = Width, H = Height, PD = Product Depth, TD = Total Depth, BP = Diameter/Dimensions of Base Plate.

¹ Only in conjunction with VESA Size 400 adapter. ² Only in conjunction with a corresponding adapter, to be ordered separately.

LOEWE.

Technical information

Loewe Connect ID

46
incl. DR+

46



Image+ (Image)

Contrast filter panel/3D glass panel/high gloss frames	— / — / ●	— / — / ●
Display technology	Full-HD-LCD with E-LED backlight	Full-HD-LCD with E-LED backlight
Screen diagonal (in cm)/screen diagonal (in inch)/Picture format/Resolution (in pixels)	117/46/16 : 9/1.920 x 1.080	117/46/16 : 9/1.920 x 1.080
Brightness (in cd/m ²)/Viewing angle (horizontal/vertical)	400/178°/178°	400/178°/178°
Contrast (static/dynamic)	6,000:1/6,000,000:1	6,000:1/6,000,000:1
Response time (in ms)/Picture repetition rate	5/200Hz	5/200Hz
Fully digitised signal processing/Image+ Active/24 p motion picture display	● / ● / ●	● / ● / ●
3D technology/2D-3D conversion/Active Glasses 3D	● / ● / ○	● / ● / ○
Format options ¹ 16:9, 4:3, Panorama, Zoom	●	●
Video auto-dimming (VBD+)/Interior auto-dimming (OPC)/home Mode	● / ● / ●	● / ● / ●

Sound+ (Audio)

Output in W (music/sine)	2 x 10 + 1 x 20/2 x 20 + 1 x 40	2 x 10 + 1 x 20/2 x 20 + 1 x 40
Closed 2-way speakers/DFW sound system ² /CRX® sound system	Open twin driver / ● / —	Open twin driver / ● / —
Individual bass and treble control/Volume/Sound effects	● / ● / ●	● / ● / ●
Automatic voice detection/Automatic Volume Control (AVC)	● / ●	● / ●
Dolby Digital Plus/dts/5.1 Out/Two-channel	● / ● / ● / ●	● / ● / ● / ●
Audio out available: variable/fixed/Subwoofer	● / ● / ● (via Audio Link)	● / ● / ● (via Audio Link)

Digital+ (Television standards)

DVB-T/DVB-T2/DVB-C/DVB-S2/Multistandard (analogue)/Dual Channel	● / ○ ¹² /● / ● / ● / ●	● / ○ ¹² /● / ● / ● / —
A/V-Decoding: MPEG/MPEG2/MPEG4/integrated HDTV reception ³	● / ● / ● / ●	● / ● / ● / ●
Colour standard: PAL/Secam/NTSC/NTSC-V/PAL-V (60 Hz)	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Audio standard: Two-channel FM/AM, Nicam	● / ●	● / ●

Assist+ (Operation)

Automatic Channel Programming (ACP)/Channel recognition	● / ●	● / ●
Programme positions including AV and radio	6,000	6,000
Radio reception	DVB radio	DVB radio
Digital Link Plus/Digital Link HD	● / ●	● / ●
Video text Level 2.5/TOP-Video text/FLOF-Video text/Page memory	● / ● / ● / 2,000	● / ● / ● / 2,000
Personalised Video text with direct access to favorites/bookmarked pages	● / ●	● / ●
PIP (AV) ⁴ /Full PIP ⁵ /iPIP/Splitscreen TV: Video text	● / ● / ● / ●	● / — / ● / ●
Electronic Program Guide (EPG)	●	●
Parental Lock/Automatic turn-off/Timer	● / ● / ●	● / ● / ●
Electronic Instruction Manual/Menu languages ⁶	● / 19	● / 19
Index/Context Related Help	● / ●	● / ●

Media+ (Multimedia functions)

DR+/storage capacity in GB/USB recording	● / 500 / ●	— / — / ●
DR+ Streaming server/client	● / ●	— / ●
MediaHome (photos, music and video via home network/USB)	● / ●	● / ●
MediaNet (Internet portal/browser/Internet radio/Internet video)	● / ● / ● / ●	● / ● / ● / ●
MediaText (HbbTV)/MediaUpdate	● / ●	● / ●

Connectivity+ (Connectors)

HDMI with HDCP/USB/Component (YUV) In ⁷	3 (HDMI 1 with ARC) / 2 / ○	3 (HDMI 1 with ARC) / 2 / ○
Euro-AV (Scart)/S-VHS, Hi-8/RGB	Mini-Scart / 1 / 1	Mini-Scart / 1 / 1
Copy function Front-AV to Euro-AV	●	●
Digital Audio-In (Cinch)/Digital Audio-Out (Cinch)/Analogue audio-out (L/R)	● / ● / ○ ¹³	● / ● / ○ ¹³
Analogue audio link (Loewe 5.1 System Out, Stereo Out, Sub Out, Center In)	●	●
VGA/RS 232 C (RJ12)/Motor control/IR-Link/L-Link	● / ○ / ○ / ○ / ○	● / ○ / ○ / ○ / ○
Side AV Video-/S-VHS, Hi-8-ready/Headphone (jack 3.5 mm)	● / ● / ●	● / ● / ●
Common Interface CI/CI Plus certified ⁸	2 / ●	2 / ●
LAN network connection/integrated WLAN	● / ●	● / ●

Environment

EU energy efficiency class/Annual energy consumption (kWh) ⁹	A/110	A/107
Power consumption in stand-by mode/off (in W)	0,37 / 0	0,37 / 0
Power consumption „ON“ ¹⁰ (in W)/Peak luminance ratio in %	79.0 / 65.0	77.0 / 65.0
Mercury content in mg/contains lead ¹¹	0.0/traces	0.0/traces

Miscellaneous

Weight in kg	21.9	21.8
Power switch/Mains voltages	● / 220–240 V, 50/60 Hz	● / 220–240 V, 50/60 Hz
VDE-safety standard (inspection seal)	●	●

● = included/installed ○ = upgradeable/optional

¹ Dependent on SD/HD input format.² DFW: Down Firing Woofer. Subwoofer which emits sound downwards.³ Reception of digital channels may be limited by individual regulations from the respective broadcaster/provider. UK models are Freeview HD compliant.⁴ On sets without DR+, AV-PIP is only available in combination with DVB-T/C/S.⁵ Not with MPEG4.⁶ D-GB-F-I-E-NL-CZ-GR-PL-H-FIN-SLO-SK-TR-S-DK-P-RUS-N⁷ Using VGA adapter (available from Loewe specialist retail partners).⁸ CI Plus is backwards compatible with CI.

Functionality is dependent on module availability from the supplier.

⁹ On the basis of four hours of operation per day, 365 days a year.

Actual energy consumption depends on the purpose for which the TV is used.

¹⁰ To EN 62087 : 2009.¹¹ Traces may occasionally be found in electronic components (in compliance with the recast European RoHS directive).¹² For the UK: already included.¹³ Connect ID via Audio Link adapter.