

Details



Acoustimass® module
side view



Acoustimass® module
front view




Remote control



Gemstone® speakers



Control console - front view



Control console - side view

Dimensions

Control console

Height: 7.6 cm
Width: 42.2 cm
Depth: 23.6 cm
Weight: 3.4 kg

Gemstone® speakers

Height: 6.6 cm
Width: 14.7 cm
Depth: 10.6 cm

Acoustimass® module

Height: 33.3 cm
Width: 20.6 cm
Depth: 54.9 cm
Weight: 11.9 kg

Remote control

Height: 23.8 cm
Width: 5.6 cm
Depth: 2.5 cm
Weight: 0.19 kg

Optional SoundTouch™ wireless adapter

Height: 5 cm
Width: 23.9 cm
Depth: 6.4 cm
Weight: 0.34 kg

Inputs/outputs

Console rear panel

3 HDMI® inputs
2 high-definition component A/V inputs
1 USB input



Console front panel

1 HDMI input
1 analog input
1 analog A/V input
1 headphone jack



Optional SoundTouch™ wireless adapter

AC power
Ethernet port
USB input



Additional details

Power supply: Dual voltage 100 - 240

Supported operating systems:

1. Win XP, 7, 8
2. OSX 10.6.8 and later
3. iOS5 and later
4. Android 4.0.3 and later

Supported audio formats:

1. MP3, AAC, WMA

In the box

Included items

Control console
Acoustimass® module
ADAPTiQ® audio calibration headset
Remote control
2 Gemstone® ES speaker arrays
Speaker cables
Acoustimass® module power cord
HDMI® cable
Power supply
AC power cord
Audio input cable
4 AA batteries for remote
IR emitter cable
Stereo audio cable
AM antenna
FM antenna
Rubber feet for Acoustimass® module
Rubber feet for speakers
Operating guide
USB flash drive (for system updating only)